

Kings Leisure & Entertainment Safety Risk Assessment- Inflatable Slide for Children and Adults

| Hazard Area | Risk | Existing Controls | Likelihood | Severity | Risk Score | Further Action |
|------------------|---|--|-------------------|-------------------|-------------------|--|
| Inflatable slide | Danger of injury on hard surfaces | The inflatable must never be mounted unless the inflatable bed is fully inflated whether the inflatable is in operation or not as this can lead to serious injury. | 1 | 4 | 4 | None |
| Inflatable slide | Injury through lack of supervision | Do not permit groups of children to use the inflatable unsupervised. | 1 | 5 | 5 | Switch off the slide when no adult is available to supervise. |
| Inflatable slide | Danger of unnecessary injury | Ensure that no one with a history of back or neck problems or who suffers from a heart complaint uses the Inflatable or anyone who is feeling unwell or suffering the effects of alcohol or drugs & Pregnant women may NOT use any equipment at any time. | 1 | 5 | 5 | Participants grouped into similar sizes |
| Inflatable slide | Adverse Weather | Item will be switched off in heavy rain and is not permitted to run in strong winds as both these conditions can be deemed a health and safety risk. | Weather dependent | Weather dependent | Weather dependent | Consult Adverse weather policy |
| Inflatable slide | Danger of falling from height. | Climbing, hanging or sitting on walls is DANGEROUS and must not be allowed at any time, All our beds have low walls for supervision purposes, this rule is exceptionally important when the inflatable is erected on hard surfaces. Rocking from side to side is not permitted as this will tip the slide and injure all participants. | 2 | 5 | 5 | Remind overenthusiastic participants of safety rules |
| Inflatable slide | Tripping on anchorage and electrical cables | Anchor points used as per manufacturers instructions and spare equipment erected safely or stowed away. Where possible electrical cable does not cross any public pathway. | 1 | 1 | 1 | Prevent participants from running around the inflatables |
| Inflatable slide | Overloading or tipping the inflatable | No user weighing over 90kg or 15 stone is permitted to use the equipment at any time. No more than 6 participants should use the slide at any one. All available anchor points should be used at all times | 1 | 5 | 5 | None |
| Inflatable slide | Risk of fire from generator | Blowers/generators are filled with fuel before delivery, units are fire retardant. | 2 | 4 | 4 | All spare fuel is stored in suitable marked container, and in a safe location, units switched off during re fuelling |
| Inflatable slide | Choking | No food drinks or chewing gum to be allowed on or near the Inflatable. | 1 | 4 | 4 | None |
| Inflatable slide | Injury through 3 rd party spectators | Always ensure that the area surrounding the Inflatable is not overcrowded | 1 | 2 | 1 | None |
| Inflatable slide | Danger from fire | No smoking or barbeques near the inflatables at any time | 1 | 5 | 5 | None |
| Inflatable slide | Over enthusiastic participants | Responsible adult supervising at all times | 2 | 3 | 3 | None |
| Inflatable slide | Emergencies | In the event that someone is seriously injured, DO NOT move the individual, leave the inflatable switched on and dial 999 immediately. | 2 | 3 | 5 | None |
| Inflatable slide | Injury through lack of inflatable pressure or suffocation | Do not allow anyone to be on or inside the Inflatable during inflation or deflation as this can be EXTREMELY DANGEROUS. The material is very heavy and could seriously injure a trapped child. | 1 | 5 | 5 | None |
| Inflatable slide | Injury from insecure anchorage | Never use this unit without proper anchorage in place, It may be blown over in certain wind conditions, If the inflatable unit is not anchored correctly please ensure you tell the erection team immediately | 1 | 5 | 5 | None |